

Florida's Official Source for Responsible Use.

NOTIFICATION OF RESAMPLING AND RETESTING

Medical Marijuana Treatment Centers (MMTCs) are required to notify the OMMU if they are resampling and retesting a previously failed Retail Batch from a Certified Marijuana Testing Laboratory (CMTL). Please complete this form and send to OMMULABS@flhealth.gov prior to resampling and retesting by a CMTL.

MMTC Name and License Number:		Date:	
Product Name:			
Product Type and Description:			
MMTC Retail Batch Number:			
Total Number of Final Products in Retail Batch:		Total Weight or Volume of Retail Batch:	
Location of Quarantined Product Marked "Not for Sale":			

Name of CMTL that Performed Initial Sampling and Testing:	
--	--

Name of CMTL Performing Resampling and Retesting:	
--	--

- A previously failed Retail Batch must pass two complete regulatory compliance tests using two new samples in order for the Retail Batch to be eligible for dispensation by an MMTC.
- A previously failed Retail Batch may only be resampled and retested twice.
- A previously failed Retail Batch that fails either retest must be disposed of in accordance with the MMTC Marijuana Waste Management and Disposal rule, or remediated, if permitted by the MMTC Remediation rule.
- An MMTC must provide two passing Certificates of Analysis for the previously failed Retail Batch to the OMMU via email to OMMULABS@flhealth.gov prior to removing the Retail Batch from quarantine and transferring it to a dispensing facility.